









www.rotenso.com

EN

## WINDMI HEAT PUMP WARRANTY CONDITIONS

- 1. The warranty applies to complete ROTENSO<sup>®</sup> WINDMI heat pumps (hereinafter referred to as the "Heat Pump") distributed by THERMOSILESIA Sp. z o.o. Sp. k. and is valid only on the territory of the Republic of Poland.
- 2. THERMOSILESIA Sp. z o.o. Sp. k. guarantees the efficient operation of the Heat Pump, for which this Warranty Card is issued, provided that it is used in accordance with the intended purpose and technical and operational conditions described in User Manual. The Warranty granted covers only the Heat Pump, therefore it does not apply to water, electrical, refrigerant, condensate, control and other devices and installations supplied and manufactured in part or in whole by the Authorised Installer.
- 3. The warranty rights specified in this document expire if the installation of a Heat Pump was not made by the Authorised Installer and was not launched by the Authorised Service of ROTENSO<sup>®</sup> heat pumps.
- 4. The Warranty Card is valid if it is printed on the original paper, containing the name and stamp of the seller and additional data: model of the external/internal unit and corresponding serial number. The Warranty Card should also include the date of Heat Pump installation, the stamp and signature of the Authorised Installer along with his current "F-Gas" certificate number and the User's signature.

In addition, a condition for obtaining the Guarantee is the heat pump launch confirmed in written in the Guarantee Card by ROTENSO® Authorised Service and the completion of the heat pump launch protocol as an integral part of the Warranty Card. The first visit of Authorised Service is free of charge; in case of detecting installation mistakes causing the proper launch impossible subsequent visits of Authorised Service are payable according to the price list of Authorised Service.

Making any deletions or corrections in the Warranty Card will cause warranty invalidation.

- 5. THERMOSILESIA Sp. z o.o. Sp. k. provides a guarantee for a period of 60 months, counting from the date of Heat Pump launch by the Authorised Service, but not longer than 66 months from the date of sales by THERMOSILESIA Sp. z o.o. Sp. k. The implementation of warranty rights will take place after presentation of a valid Warranty Card and confirmation that entries in the Guarantee Card align with the facts.
- 6. Defects in the equipment discovered during the warranty period will be removed free of charge by the Authorised Service Provider as soon as possible, within 14 days counting from the date of defect notification.

This period may be extended if the import of spare parts is necessary.

- 7. Information of a heat pump failure during the period of this Warranty should be reported to the Authorised Service Provider that carried out the last periodic mandatory technical inspection or did the heat pump launch.
- 8. Service response time from the moment of receiving the failure report is 24 hours.

The "service response" term is understood as:

- arranging a convenient date of the service visit with the User phone call solution of the problem
- a service visit at the installation site to diagnose the failure
- service visit at the installation site to diagnose and remove the failure (in case of having a spare part that needs to be replaced)
- 9. THERMOSILESIA Sp. z o.o. Sp. k. will supply the User with a new heat pump in exchange for defective pump only on condition that claimed heat pump has production defects that make it unable to fully operate, despite four major repairs having been carried out by the Authorised Service on the same component of the Heat Pump during the warranty period.

The replacement of the device with a new one is decided by THERMOSILESIA Sp. z o.o. Sp. k.

10. All parts, subassemblies or devices replaced during warranty repairs are the property of THERMOSILESIA Sp. z o.o. Sp. k.

11. The condition for the rights resulting from the warranty are inspections of the heat pump carried out by Authorised Service. These inspections are paid according to the price list of the Authorised Service and must be recorded in the Warranty Card. When the mandatory technical inspections are not done - or done improperly - the User loses all rights resulting from the Guarantee.

Maintenance inspections must take place within the following periods:

- first maintenance inspection within 12 months from the date of the first launch of the Heat Pump,
- second and subsequent maintenance inspection within 12 months from the date of the last maintenance inspection
- 12. The warranty covers only defects and faults that arise from causes inherent in the heat pump.

The warranty does not cover:

- damage to devices resulting from behaviour inconsistent with the instruction manual, in particular from improper installation, operation, maintenance, storage, use of improper consumables, e.g. filters;
- mechanical and thermal damage to the device caused by the action or omission of the Buyer or a third party, i.e. in particular failure to apply a freeze protection agent, lack or incorrect operation of the antifreeze valve;
- defects and damage caused by force majeure (e.g. lightning strike, flood, corrosion, electrical network surges);
- defects caused by repairs, alterations and structural changes made independently by the user or by an unauthorised entity;
- · defects of internal installations cooperating with the Heat Pump;
- defects resulting from the modernization of internal installations performed by the User after commissioning and affecting the operation of the Heat Pump;
- activities and parts described in the User Manual and belonging to the normal operation of the device, e.g. maintenance and replacement of filters, replacement of batteries in the remote control, adjustments or programming;
- claims for technical parameters of the equipment, as long as they are consistent with those stated by the manufacturer;
- defects and malfunctions caused by incorrect or faulty installation of the device, incorrect selection
   of the device;
- products whose Warranty Card or serial numbers have been changed, erased or removed.
- 13. THERMOSILESIA Sp. z o.o. Sp. k. is not liable for damages (direct and indirect) resulting from a defect, both in terms of actual damage and lost profits, in particular: lost goods, turnover, profit and savings, regardless of whether they are related to the use or impossibility of using the device. This also applies if THERMOSILESIA Sp. z o.o. Sp. k. has been notified of the possibility of such damages.
- 14. The user will lose all warranty rights if unauthorised repairs or structural changes are discovered on the device.
- 15. In case of unjustified complaints the User will be charged with the costs according to the price list of the Authorised Service. Unjustified complaint occurs when the reported problem is not related to the failure of a Heat Pump, but another failure/problem on the side of the installation or elements not covered by the warranty.

The costs of repairing failures/problems resulting from malfunction or defects of internal installations connected to the Heat Pump shall be borne by the User.

- 16. Removal of defects not covered by the warranty is carried out with full payment by the user in accordance with the price list of the Authorised Service.
- 17. THERMOSILESIA Sp. z o.o. Sp. k. will not be liable for punctuality of warranty repairs if the service activity is disturbed by unforeseen circumstances of force majeure or if the Customer prevented access to the place of installation of the device within previously agreed time.

- 18. The guarantee does not exclude, limit or suspend, the rights resulting from the provisions of the Act of 30 May 2014 on consumer rights (Journal of Laws of 2017, item 683).
- 19. The guarantee does not exclude, limit or suspend the buyer's rights under the provisions on warranty for defects in the item sold.
- 20. Information about a heat pump failure should be reported to the Authorised Service technician who launched the pump or performed the last periodic maintenance inspection of the equipment.

# Any breakdown of a heat pump should be immediately reported to the Authorised Service that launched the pump or performed periodic maintenance inspection.

Comments related to improper activity of the Authorised Installer and Authorised Service should be reported to THERMOSILESIA Sp. z o.o. Sp. k., Szyb Walenty 16, 41-700 Ruda Śląska, POLAND, www.thermosilesia.pl

# **AUTHORISED SERVICE LAUNCH PROTOCOL**

ORDER NO					DATE								
			IONO SYMBOL										
MODEL													
CUSTOMER DATA : NAME/ADDRESS /PHONE								1					
Parameters to be checked before lau	ınch				Parame	eters	to be checked	l after launch	(after 15	minutes o	operat	ion)	
Power supply L1-N				Parameters to be checked after launch (after 15 [V] Appliance current measurement L1							[A]		
Power supply L2-N			[V]		Appliance current measur			rement L2					[A]
ower supply L2-N			[V]								[A]		
Phase-to-phase power supply L1-L2		[V]		Unit exit water temperature							[°C		
Phase-to-phase power supply L1-L3				[V]	Unit re	turn	water tempera	ature					[°C
Phase-to-phase power supply L2-L3				[V]	Gas ter	npera	ture at inlet to	the plate hea	t exchang	er			[°C
Temperature in the building				[°C]	Gas ter	mpera	ature at comp	ressor outlet					[°C
Parameters to be checked before lau	unch Gas tem	perature a	it comp	ressor	outlet								
Installation is using a buffer tank			YES		NO		Model		Capa	city			[I]
Heating circuits number in the syste	m	1 circuit	2 circu	ıit	Oth	er							
First circuit type		Underfloo	or instal	lation			Fan coils		Radi	ators			
Second circuit type		Underfloo	or instal	lation			Fan coils		Radi	ators			
	ating circuit					[l]	Second heat	ting circuit					[I]
Circulation pump model First he	ating circuit						Second heat	ting circuit					
Venting of heating system performe	d		YES		NO								
Installation is using Domestic Hot W			YES		NO		Model		Capa	city			[1]
Coil surface in Domestic Hot Water t					[m <sup>2</sup>	2]	3-way valve	model					
Room thermostat installed			YES		NO		Model						
Another heating source installed			YES		NO		Туре						
Approximate building construction	date						<i>,</i> ,						
			YES		NO								
The Heat pump is supreme heating solution of the Window Pump in the Pump in th	source		YES		NO								
The Heat pump is supreme heating	source rmation	n before th			NO					YES		NO	
The Heat pump is supreme heating : WINDMI Heat Pump installation info Compressor was connected to powe	source rmation er at least 12 l		ne first l	aunch	NO					YES		NO	
The Heat pump is supreme heating s WINDMI Heat Pump installation info	source rmation er at least 12 l mp was carri	ed out (0,0	ne first l 13 mBai	aunch	NO							NO	
The Heat pump is supreme heating : WINDMI Heat Pump installation info Compressor was connected to powe Dehumidification with a vacuum pu	source rmation er at least 12 l mp was carried	ed out (0,0 out (42 Ba	ne first l 13 mBai	aunch	NO					YES		NO NO	
The Heat pump is supreme heating WINDMI Heat Pump installation info Compressor was connected to powe Dehumidification with a vacuum pu Pressure test of the freon installation	source rmation er at least 12 l mp was carrie n was carried put in the wat	ed out (0,0 out (42 Ba er system	ne first l 13 mBai	aunch	NO					YES YES		NO NO	
The Heat pump is supreme heating WINDMI Heat Pump installation info Compressor was connected to powe Dehumidification with a vacuum pu Pressure test of the freon installation A contamination clean was carried o	source rmation er at least 12 l mp was carried was carried but in the water in the water sy	ed out (0,0 out (42 Ba er system ystem	ne first l 13 mBai	aunch	NO					YES YES YES		NO NO NO	
The Heat pump is supreme heating WINDMI Heat Pump installation info Compressor was connected to powe Dehumidification with a vacuum pu Pressure test of the freon installatior A contamination clean was carried ou Venting procedure was carried out in	source rmation er at least 12 l mp was carried was carried out in the water s carried out	ed out (0,0 out (42 Ba er system ystem	ne first l 13 mBai	aunch	NO					YES YES YES YES		NO NO NO	
The Heat pump is supreme heating : WINDMI Heat Pump installation info Compressor was connected to powe Dehumidification with a vacuum pu Pressure test of the freon installatior A contamination clean was carried ou Venting procedure was carried out in Pressure test in the water system wa Total piping length (measured on lice	source rmation er at least 12 l mp was carried was carried out in the water n the water sy is carried out guid pipe)	ed out (0,0 out (42 Ba er system ystem (3 bar)	ne first l 13 mBai	aunch	NO					YES YES YES YES		NO NO NO	□ □ □ [ <i>m</i> ]
The Heat pump is supreme heating : WINDMI Heat Pump installation info Compressor was connected to powe Dehumidification with a vacuum pu Pressure test of the freon installatior A contamination clean was carried ou Venting procedure was carried out in Pressure test in the water system wa Total piping length (measured on lic Type and thickness of insulation on	source rmation er at least 12 I mp was carried o was carried out in the water of the water s is carried out uid pipe) refrigeration	ed out (0,0 out (42 Ba er system (3 bar) pipes	ne first l 13 mBai r)	aunch			ns)			YES YES YES YES		NO NO NO	[mm
The Heat pump is supreme heating : WINDMI Heat Pump installation info Compressor was connected to powe Dehumidification with a vacuum pu Pressure test of the freon installatior A contamination clean was carried ou Venting procedure was carried out in Pressure test in the water system wa Total piping length (measured on lic Type and thickness of insulation on Height difference between indoor a	source rmation er at least 12 I mp was carried o was carried out in the water of the water s is carried out uid pipe) refrigeration	ed out (0,0 out (42 Ba er system (3 bar) pipes	ne first l 13 mBai r)	aunch			ns)			YES YES YES YES		NO NO NO	[m] [m]
The Heat pump is supreme heating : WINDMI Heat Pump installation info Compressor was connected to powe Dehumidification with a vacuum pu Pressure test of the freon installatior A contamination clean was carried ou Venting procedure was carried out in Pressure test in the water system wa Total piping length (measured on lic Type and thickness of insulation on Height difference between indoor an Additional amount of refrigerant	source rmation er at least 12 l mp was carried but in the wat in the water sy is carried out juid pipe) refrigeration ind outdoor u	ed out (0,0 out (42 Ba er system (3 bar) pipes	ne first l 13 mBai r)	aunch			ns)			YES YES YES YES		NO NO NO	[m] [kg]
The Heat pump is supreme heating : WINDMI Heat Pump installation info Compressor was connected to powe Dehumidification with a vacuum pu Pressure test of the freon installatior A contamination clean was carried ou Venting procedure was carried out in Pressure test in the water system wa Total piping length (measured on lice	source rmation er at least 12 l mp was carried bout in the wat in the water sy is carried out juid pipe) refrigeration and outdoor u	ed out (0,0 out (42 Ba er system (3 bar) pipes nits (betw	e first l 13 mBai r) een ref	aunch			ns)			YES YES YES YES		NO NO NO NO	[m] [kg]
The Heat pump is supreme heating : WINDMI Heat Pump installation info Compressor was connected to powe Dehumidification with a vacuum pu Pressure test of the freon installatior A contamination clean was carried ou Venting procedure was carried out in Pressure test in the water system wa Total piping length (measured on lic Type and thickness of insulation on Height difference between indoor at Additional amount of refrigerant Outdoor unit mounted on rubber su	source rmation er at least 12 l mp was carried bout in the wat in the water sy is carried out juid pipe) refrigeration and outdoor u	ed out (0,0 out (42 Ba er system (3 bar) pipes nits (betw	e first l 13 mBai r) een ref	aunch			ns)			YES YES YES YES YES YES		NO NO NO NO NO	[m] [kg]
The Heat pump is supreme heating : WINDMI Heat Pump installation info Compressor was connected to powe Dehumidification with a vacuum pu Pressure test of the freon installatior A contamination clean was carried out Venting procedure was carried out in Pressure test in the water system wa Total piping length (measured on lic Type and thickness of insulation on Height difference between indoor an Additional amount of refrigerant Outdoor unit mounted on rubber su Outdoor unit mounted above the sm Condensate drainage checked	source rmation er at least 12 l mp was carried bout in the wat in the water sy is carried out juid pipe) refrigeration and outdoor u	ed out (0,0 out (42 Ba er system (3 bar) pipes nits (betw	e first l 13 mBai r) een ref	aunch			ns)			YES YES YES YES YES YES YES		NO NO NO NO NO	[m]     [m]     [m]     [kg]     [
The Heat pump is supreme heating : WINDMI Heat Pump installation info Compressor was connected to powe Dehumidification with a vacuum pu Pressure test of the freon installatior A contamination clean was carried out in Pressure test in the water system wa Total piping length (measured on lic Type and thickness of insulation on Height difference between indoor an Additional amount of refrigerant Outdoor unit mounted on rubber su	source rmation er at least 12 l mp was carried bout in the wat in the water sy is carried out juid pipe) refrigeration and outdoor u	ed out (0,0 out (42 Ba er system (3 bar) pipes nits (betw	e first l 13 mBai r) een ref	aunch			ns)			YES YES YES YES YES YES YES YES		NO NO NO NO NO NO	[m]     [m]     [kg]     [
The Heat pump is supreme heating s WINDMI Heat Pump installation info Compressor was connected to powe Dehumidification with a vacuum pu Pressure test of the freon installatior A contamination clean was carried out Venting procedure was carried out in Pressure test in the water system wa Total piping length (measured on lic Type and thickness of insulation on Height difference between indoor an Additional amount of refrigerant Outdoor unit mounted on rubber su Outdoor unit mounted above the sm Condensate drainage checked Electric heaters are power supplied	source rmation er at least 12 I mp was carried out in the wat n the water sy is carried out quid pipe) refrigeration nd outdoor u apports iow layer leve	ed out (0,0 out (42 Ba er system (3 bar) pipes nits (betw	e first l 13 mBai r) een ref	aunch			ns)			YES YES YES YES YES YES YES YES		NO NO NO NO NO NO	[m]     [m]     [m]     [kg]     [
The Heat pump is supreme heating s WINDMI Heat Pump installation info Compressor was connected to powe Dehumidification with a vacuum pu Pressure test of the freon installatior A contamination clean was carried out Venting procedure was carried out is Pressure test in the water system wa Total piping length (measured on lic Type and thickness of insulation on Height difference between indoor an Additional amount of refrigerant Outdoor unit mounted on rubber su Outdoor unit mounted above the sn Condensate drainage checked Electric heaters are power supplied Total electric heaters power	source rmation er at least 12 I mp was carried out in the wat n the water sy is carried out quid pipe) refrigeration nd outdoor u apports iow layer leve	ed out (0,0 out (42 Ba er system (3 bar) pipes nits (betw	e first l 13 mBai r) een ref	aunch			ns)			YES YES YES YES YES YES YES YES		NO NO NO NO NO NO	[m]     [m]     [kg]     [
The Heat pump is supreme heating is WINDMI Heat Pump installation info Compressor was connected to powe Dehumidification with a vacuum pu Pressure test of the freon installatior A contamination clean was carried o Venting procedure was carried out in Pressure test in the water system wa Total piping length (measured on lic Type and thickness of insulation on Height difference between indoor at Additional amount of refrigerant Outdoor unit mounted on rubber su Outdoor unit mounted above the sn Condensate drainage checked Electric heaters are power supplied Total electric heaters power WINDMI Heat Pump settings inform	source rmation er at least 12 I mp was carried out in the wat n the water sy is carried out quid pipe) refrigeration nd outdoor u apports iow layer leve	ed out (0,0 out (42 Ba er system (3 bar) pipes nits (betw	e first l 13 mBai r) een ref	aunch			ns)			YES YES YES YES YES YES YES YES		NO NO NO NO NO NO	[m]     [m]     [m]     [kgj
The Heat pump is supreme heating s WINDMI Heat Pump installation info Compressor was connected to powe Dehumidification with a vacuum pu Pressure test of the freon installatior A contamination clean was carried or Venting procedure was carried out in Pressure test in the water system wa Total piping length (measured on lic Type and thickness of insulation on Height difference between indoor an Additional amount of refrigerant Outdoor unit mounted on rubber su Outdoor unit mounted on rubber su Outdoor unit mounted above the sm Condensate drainage checked Electric heaters are power WINDMI Heat Pump settings inform The heat pump works according to Leading sensor setting	source rmation er at least 12 I mp was carried out in the wat n the water sy is carried out quid pipe) refrigeration nd outdoor u apports iow layer leve	ed out (0,0 out (42 Ba er system (3 bar) pipes nits (betw	e first l 13 mBai r) een ref	aunch			ns)			YES YES YES YES YES YES YES YES		NO NO NO NO NO NO	[m]     [m]     [m]     [kgj
The Heat pump is supreme heating s WINDMI Heat Pump installation info Compressor was connected to powe Dehumidification with a vacuum pu Pressure test of the freon installatior A contamination clean was carried or Venting procedure was carried out in Pressure test in the water system wa Total piping length (measured on lic Type and thickness of insulation on Height difference between indoor an Additional amount of refrigerant Outdoor unit mounted on rubber su Outdoor unit mounted above the sm Condensate drainage checked Electric heaters are power supplied Total electric heaters power WINDMI Heat Pump settings inform The heat pump works according to Leading sensor setting Heat source setting	source rmation rmation er at least 12 I mp was carried out in the water sy is carried out juid pipe) refrigeration ind outdoor u upports ation	ed out (0,0 out (42 Ba er system (3 bar) pipes nits (betw	e first l 13 mBai r) een ref	aunch			ns)			YES YES YES YES YES YES YES YES		NO NO NO NO NO NO	[m] [m] [kgj [kw
The Heat pump is supreme heating s WINDMI Heat Pump installation info Compressor was connected to powe Dehumidification with a vacuum pu Pressure test of the freon installatior A contamination clean was carried out Venting procedure was carried out in Pressure test in the water system wa Total piping length (measured on lic Type and thickness of insulation on Height difference between indoor an Additional amount of refrigerant Outdoor unit mounted on rubber su Outdoor unit mounted above the sn Condensate drainage checked Electric heaters are power supplied Total electric heaters power WINDMI Heat Pump settings inform The heat pump works according to Leading sensor setting Heat source setting Domestic Hot Water Temperature se	source rmation rmation er at least 12 I mp was carried out in the water sy is carried out juid pipe) refrigeration ind outdoor u upports ation	ed out (0,0 out (42 Ba er system (3 bar) pipes nits (betw	e first l 13 mBai r) een ref	aunch			ns)			YES YES YES YES YES YES YES YES		NO NO NO NO NO NO	[m] [m] [kg] [kW
The Heat pump is supreme heating s WINDMI Heat Pump installation info Compressor was connected to powe Dehumidification with a vacuum pu Pressure test of the freon installatior A contamination clean was carried out Venting procedure was carried out in Pressure test in the water system wa Total piping length (measured on lic Type and thickness of insulation on i Height difference between indoor an Additional amount of refrigerant Outdoor unit mounted on rubber su Outdoor unit mounted above the sn Condensate drainage checked Electric heaters are power supplied Total electric heaters power WINDMI Heat Pump settings inform The heat pump works according to Leading sensor setting Heat source setting Domestic Hot Water Temperature se Anti-legionella type	source rmation rmation er at least 12 I mp was carried out in the water sy is carried out juid pipe) refrigeration ind outdoor u upports ation	ed out (0,0 out (42 Ba er system (3 bar) pipes nits (betw	e first l 13 mBai r) een ref	aunch			ns)			YES YES YES YES YES YES YES YES		NO NO NO NO NO NO	[m] [m] [kg] [kW
The Heat pump is supreme heating : WINDMI Heat Pump installation info Compressor was connected to powe Dehumidification with a vacuum pu Pressure test of the freon installatior A contamination clean was carried out Venting procedure was carried out in Pressure test in the water system was Total piping length (measured on lic Type and thickness of insulation on in Height difference between indoor an Additional amount of refrigerant Outdoor unit mounted on rubber su Outdoor unit mounted above the sin Condensate drainage checked Electric heaters are power supplied Total electric heaters power WINDMI Heat Pump settings inform. The heat pump works according to Leading sensor setting Demestic Hot Water Temperature se Anti-legionella type Central heating schedule	source rmation rmation er at least 12 I mp was carried out in the water sy is carried out juid pipe) refrigeration ind outdoor u upports ation	ed out (0,0 out (42 Ba er system (3 bar) pipes nits (betw	e first l 13 mBai r) een ref	aunch			ns)			YES YES YES YES YES YES YES YES		NO NO NO NO NO NO	[m] [m] [kg] [kW
The Heat pump is supreme heating : WINDMI Heat Pump installation info Compressor was connected to powe Dehumidification with a vacuum pu Pressure test of the freon installatior A contamination clean was carried out Venting procedure was carried out in Pressure test in the water system was Total piping length (measured on lic Type and thickness of insulation on i Height difference between indoor an Additional amount of refrigerant Outdoor unit mounted on rubber su Outdoor unit mounted above the sin Condensate drainage checked Electric heaters are power supplied Total electric heaters power WINDMI Heat Pump settings inform. The heat pump works according to Leading sensor setting Domestic Hot Water Temperature se Anti-legionella type Central heating schedule Domestic Hot Water schedule	source rmation rmation er at least 12 I mp was carried out in the water sy is carried out juid pipe) refrigeration ind outdoor u upports ation	ed out (0,0 out (42 Ba er system (3 bar) pipes nits (betw	e first l 13 mBai r) een ref	aunch			ns)			YES YES YES YES YES YES YES YES		NO NO NO NO NO NO	[mi] [mi] [kg. [kw
The Heat pump is supreme heating : WINDMI Heat Pump installation info Compressor was connected to powe Dehumidification with a vacuum pu Pressure test of the freon installatior A contamination clean was carried out Venting procedure was carried out in Pressure test in the water system wa Total piping length (measured on lic Type and thickness of insulation on in Height difference between indoor an Additional amount of refrigerant Outdoor unit mounted on rubber su Outdoor unit mounted above the sin Condensate drainage checked Electric heaters power WINDMI Heat Pump settings inform. The heat pump works according to Leading sensor setting Heat source setting Domestic Hot Water Temperature se Anti-legionella type Central heating schedule Domestic Hot Water schedule Electric heaters latency	source rmation rmation er at least 12 I mp was carried out in the water sy is carried out juid pipe) refrigeration ind outdoor u upports ation	ed out (0,0 out (42 Ba er system (3 bar) pipes nits (betw	e first l 13 mBai r) een ref	aunch			ns)			YES YES YES YES YES YES YES YES		NO NO NO NO NO NO	[min [min [kw
The Heat pump is supreme heating s WINDMI Heat Pump installation info Compressor was connected to powe Dehumidification with a vacuum pu Pressure test of the freon installatior A contamination clean was carried out Venting procedure was carried out in Pressure test in the water system was Total piping length (measured on lic Type and thickness of insulation on i Height difference between indoor an Additional amount of refrigerant Outdoor unit mounted on rubber su Outdoor unit mounted above the sn Condensate drainage checked Electric heaters are power supplied Total electric heaters power WINDMI Heat Pump settings inform. The heat pump works according to Leading sensor setting Domestic Hot Water Temperature se Anti-legionella type Central heating schedule Domestic Hot Water schedule	source rmation rmation er at least 12 I mp was carried out in the water sy is carried out juid pipe) refrigeration ind outdoor u upports ation	ed out (0,0 out (42 Ba er system (3 bar) pipes nits (betw	e first l 13 mBai r) een ref	aunch			ns)			YES YES YES YES YES YES YES YES		NO NO NO NO NO NO	[m]     [m]     [kg]     [

### WARRANTY CARD

Valid from May 1st 2023

Warranty valid only with proof of purchase

Indoor unit model	Serial number
Outdoor unit model	Serial number
Collor's stamp / signature	Installer stomp / signature

Seller's stamp / signature	Installer stamp / signature

Sales date:

Invoice number:

Installation date:

Installation place:

Launch date:

Authorised Service Stamp / Signature

\_\_\_\_

Hereby I accept the warranty conditions and confirm the receipt of fully operational device Stamp / Signature

# Signature Service stamp Service notes Pos. Date of inspection 9 $\sim$ ന 4 ŝ ဖ $\sim$ $^{\circ}$ o ~

# HEAT PUMP PERIODIC INSPECTIONS

# HEAT PUMP RECORD OF REPAIRS

Pos.	Pos. Date of inspection	Service notes	Service stamp	Signature
<del></del>				
7				
ю				
4				
5				
9				
7				
ø				
6				
10				

# NOTES

# email: office@rotenso.com





www.rotenso.com